


WATLEY RURAL

1300 865 125





WATLEY RURAL

1300 865 125

ABOUT US

An Australian Owned Wholesale Business

Welcome to Watley Rural. If you're looking for livestock handling equipment you can truly depend on, you've come to the right place. We're an Australian business based in South East Queensland, and we're driven by a simple purpose:

Empowering rural success through quality products and genuine partnerships.

We're not just selling gear, we're putting 16 years of experience from our other business, All Temporary Fencing, into bringing you the best value equipment.


Every piece of Watley Rural equipment is selected and tested right here in Australia to ensure it stands up to the demands of your farm. It's about providing you with safe, efficient tools that help you get the job done right, the first time.

You can get your hands on our gear through our network of trusted local Watley Rural dealers. We partner with them because we believe in local support and building relationships. When you deal with a Watley Rural dealer, you're dealing with someone who's backed by our commitment to Trust, Integrity, and being Dependable.

We guarantee the quality of our products – they're built tough and tested hard. Our streamlined wholesale approach means you get this quality at a price that offers real value for your hard-earned money.

Choose Watley Rural for gear that's built for the long haul and a network that's got your back. We're here to support your success on the land, now and into the future.





WATLEY RURAL

1300 865 125

Cattle **3-29**

Crushes	3
Head Bail	19
Ramps	20
Panels & Gates	22
Race Bow	26
Single Man Gate	26
Slide Gate	27
Forcing Yard	28
Yards	29

Sheep **39-42**

Adjustable Sheep Vee Race with 3-way draft gate	39
Adjustable Sheep Vee Race & 3-way drafting gate	40
Panels & Gates	41
Yards	42

Hay Savers **43**

Dog Cages **45**


Temporary Fencing and Accessory **47**



WATLEY RURAL
1300 865 125

DOUBLE SQUEEZE VET CRUSH






WATLEY RURAL

1300 865 125


DOUBLE SQUEEZE VET CRUSH

Length	Height	Inner Width	Width	Weight
3402mm	2200mm	720mm	1850mm	650kg



FEATURES

- Heavy duty head bail with front + rear head bail opener
- Double sided parallel squeeze
- Can be operated by both sides
- Fully sheeted bottom side door on all gates
- Reliable ratchet head bail locking mechanism
- Weigh bar mounting plates
- Chin up bar mounting points
- 735 kg with floor



WATLEY RURAL

1300 865 125

DOUBLE SQUEEZE VET CRUSH

Headbail



Closed



Open

Slide Entry Gate




Closed



Open







WATLEY RURAL

1300 865 125

DOUBLE SQUEEZE VET CRUSH






WATLEY RURAL
1300 865 125

PIVOT SQUEEZE VET CRUSH






WATLEY RURAL

1300 865 125


PIVOT SQUEEZE VET CRUSH

Length	Height	Inner Width	Width	Weight
3152mm	2200mm	720mm	1850mm	570kg



FEATURES

- Heavy duty head bail
- Reliable ratchet head bail locking mechanism
- Rear vet gate
- Fully sheeted bottom side door on all gate
- Self-locking slam latch on all gates
- Chin up bar mounting points
- 655 kg with floor



WATLEY RURAL

1300 865 125

PIVOT SQUEEZE VET CRUSH

Headbail



Closed



Open

Slide Entry Gate




Closed



Open










WATLEY RURAL

1300 865 125

PIVOT SQUEEZE VET CRUSH






WATLEY RURAL
1300 865 125

STD VET CATTLE CRUSH






WATLEY RURAL

1300 865 125


STD VET CATTLE CRUSH

Length	Height	Inner Width	Width	Weight
3152mm	2200mm	720mm	1850mm	470kg



FEATURES

- Heavy duty head bail
- Reliable ratchet head bail locking mechanism
- Rear vet gate
- Fully sheeted bottom side door on all gate
- Self-locking slam latch on all gates
- Chin up bar mounting points
- 555 kg with floor



WATLEY RURAL


1300 865 125

STD VET CATTLE CRUSH

Headbail



Closed



Open

Slide Entry Gate




Closed



Open






WATLEY RURAL

1300 865 125

STD VET CATTLE CRUSH






WATLEY RURAL
1300 865 125

SHORT CATTLE CRUSH






WATLEY RURAL

1300 865 125


SHORT CATTLE CRUSH

Length	Height	Inner Width	Width	Weight
2539mm	2200mm	720mm	1850mm	310kg



FEATURES

- Heavy duty headbail
- Reliable ratchet headbail locking mechanism
- Short and easy side gate
- Fully sheeted bottom side door on all gate
- Chin up bar mounting points



WATLEY RURAL


1300 865 125

SHORT CATTLE CRUSH

Headbail



Closed



Open

Slide Entry Gate




Closed



Open








WATLEY RURAL

1300 865 125

SHORT CATTLE CRUSH






WATLEY RURAL

1300 865 125

CRUSH COMPARISON TABLE

NAME	DOUBLE SQUEEZE VET CRUSH	PIVOT SQUEEZE VET CRUSH	STD VET CATTLE CRUSH	SHORT CATTLE CRUSH
PHOTO				
LENGTH	3402MM	3152MM	3152MM	2539MM
HEIGHT	2200MM	2200MM	2200MM	2200MM
INNER WIDTH	720MM	720MM	720MM	720MM
WIDTH	1850MM	1850MM	1850MM	1850MM
WEIGHT	735 KG	655 KG	555 KG	310 KG
MATERIAL THICKNESS	3mm frame wall thickness, 2mm all other gates, 3.5mm neck york	3mm frame wall thickness, 2mm all other gates, 3.5mm neck york	3mm frame wall thickness, 2mm all other gates, 3.5mm neck york	3mm frame wall thickness, 2mm all other gates, 3.5mm neck york
SQUEEZE	Double Squeeze	Pivot Squeeze	N/A	N/A
MANUAL OPERATION	Yes	Yes	Yes	Yes
OPERATING DIFFERENCE	<ul style="list-style-type: none"> •Double sided squeeze •Slide gates both sides operated •Two small gates on left side top gate •With foot operation on the vet gate 	<ul style="list-style-type: none"> •Slide gates both sides operated •Two small gates on left side top gate •With foot operation on the vet gate •Pivot squeeze 	<ul style="list-style-type: none"> •Right side without gate 	N/A



WATLEY RURAL

1300 865 125


HEAD BAIL

	Depth	Height	Width	Weight
Head Bail	250mm	2200mm	1850mm	120kg



- Ideal for use with two panels and a sliding gate to create a budget crush
- Easy to operate ratchet system
- Head bail is 720mm inside and 820mm outside





WATLEY RURAL

1300 865 125


CATTLE LOADING RAMP

Length	Height	Inner Width	Width	Weight
2870mm	3244mm	720mm	1630mm	340kg



FEATURES

- HDG 3mm checker plate with steel or wood floor for better grip
- Overhead bracing, for additional strength
- Full portable loading solution
- Simple to erect in minutes
- Sheeted galvanized sides for added strength, noise reduction, stock and operator safety
- 8 shifts to elevate the floors



WATLEY RURAL

1300 865 125

CATTLE LOADING RAMP



Side



Front




Side



Front






WATLEY RURAL

1300 865 125


30 Series 4 rail Panel & Gate

- Std or Heavy Galvanised
- 4 Rail
- 2100 Long x 1300 High
- 2 Pins supplied with each panel
- Discount on bulk orders




30 Series 5 rail Panel & Gate


- Std or Heavy Galvanised
- 5 Rail
- 2100 Long x 1600 High
- 2 Pins supplied with each panel
- Discount on bulk orders



30 Series 6 rail Panel & Gate

- Std or Heavy Galvanised
- 6 Rail
- 2100 Long x 1800 High
- 2 Pins supplied with each panel
- Discount on bulk orders








WATLEY RURAL

1300 865 125

40 Series Square 40x40 RHS Panel & Gates

- Std or Heavy Galvanised
- 6 Rail
- 2100 Long x 1800 High
- Square pipe (40x40)
- 4 easy to connect lugs
- 1 hole for ground pins
- Discount on bulk orders




	Horizontal	Uprights	Rail	Height	Width
Panel	40x40	40x40	6	1800	2100
Gate	40x40	40x40	6	2300	2100
Adj	40x40	40x40	6	2300-3300	2100




40 Series Oval 30x60 Pipe Panel & Gate

- Galvanised Steel
- 6 Rail
- 2100 Long x 1800 High
- Oval pipe (30x60)
- 4 easy to connect lugs
- 1 hole for ground pins

	Horizontal	Uprights	Rail	Height	Width
Panel	30x60	40x40	6	1800	2100
Gate	30x60	40x40	6	2300	2100
Gate SL	30x60	40x40	6	2300	2100







WATLEY RURAL

1300 865 125

50 Series Oval 40x80 Pipe Panel & Gate

- Galvanised Steel
- 6 Rail
- 2100 Long x 1800 High
- Oval pipe (40x80)
- 4 easy to connect lugs
- 1 hole for ground pins



	Horizontal	Uprights	Rail	Height	Width
Panel	40x80	50x50	6	1800	2100
Gate	40x80	50x50	6	2300	2100




50 Series Oval 42x115 Pipe Panel & Gate

- Galvanised Steel
- 6 Rail
- 2100 Long x 1794 High
- Oval pipe (42x115)
- 4 easy to connect lugs
- 1 hole for ground pins

	Horizontal	Uprights	Rail	Height	Width
Panel	42x115	50x50	6	1794	2100
Gate	42x115	50x50	6	2300	2100





WATLEY RURAL


1300 865 125

Double gate 3600mm wide

- Galvanised Steel
- 6 Rail
- 2100 Long x 1800 High
- Square pipe (40x40)
- 4 easy to connect lugs

	Horizontal	Uprights	Height	Width
Gate	40x80	50x50	1800mm	2100mm





WATLEY RURAL

1300 865 125

Race Bow

- Std or Heavy Galvanised
- 825 Long x 2192 High
- Square pipe (40x40)
- Cattle to be contained

	Horizontal	Uprights	Height	Width
Single Man Gate	40x40	40x40	2192mm	825mm




Single Man Gate

- Std or Heavy Galvanised
- 815 Long x 21020 High
- Square pipe (40x40)
- Easy access to an area

	Horizontal	Uprights	Height	Width
Slide Gate	40x40	40x40	2020mm	815mm






WATLEY RURAL

1300 865 125

Slide Gate 40 Series

- Std or HD Galvanising
- Ideal for use in a Cattle race
- Special lock for more safty
- Square tube for slide gate
- Right hand side control


	Horizontal	Uprights	Height	Width
Slide Gate	40x40	40x40	1870mm	1440-1820mm




Slide Gate 50 Series

- Std or HD Galvanising
- Ideal for use in a Cattle race
- Left hand side control
- Special lock for more safty
- Oval tube for slide gate

	Horizontal	Uprights	Height	Width
Slide Gate	50x50	50x50	1870mm	1440-1820mm






WATLEY RURAL

1300 865 125


Forcing Yard

	Depth	Height	Width	Weight
Forcing Yard	3070mm	2270mm	6200mm	625kg



FEATURES

- The Forcing Yard allows the handler to push cattle into the race system with minimal risk to the handler
- Innovative braking system stops the cattle from pushing the gate back therefore protecting the operator
- The curved layout works with the natural behaviour of how cattle run and tend to circle back to where they came from



WATLEY RURAL

1300 865 125

20 Head Cattle Yard System 45m²



Total Items


 Cattle Gate x 3

 Cattle Panel x 10

 Sliding Gate x 1

 Cattle Loading Ramp x 1


 Cattle Crush x 1



WATLEY RURAL


1300 865 125

25 Head Cattle Yard System 50m²



Total Items

- | | | | |
|--|--------------------------|---|--------------------------------|
|  | Cattle Gate x 2 |  | Cattle Loading Ramp x 1 |
|  | Cattle Panel x 16 |  | Cattle Crush x 1 |
|  | Sliding Gate x 1 |  | Forcing Yard x 1 |
|  | Race Bow x 2 | | |



WATLEY RURAL

1300 865 125

55 Head Cattle Yard System 110m²



Total Items

 Cattle Gate x 4


 Cattle Panel x 21

 Sliding Gate x 2

 Race Bow x 1

 Cattle Loading Ramp x 1


 Cattle Crush x 1



WATLEY RURAL


1300 865 125

60 Head Cattle Yard System 120m²



Total Items


- | | | | |
|--|--------------------------|---|--------------------------------|
|  | Cattle Gate x 6 |  | Cattle Loading Ramp x 1 |
|  | Cattle Panel x 27 |  | Cattle Crush x 1 |
|  | Sliding Gate x 2 | | |
|  | Race Bow x 1 | | |



WATLEY RURAL


1300 865 125

65 Head Cattle Yard System 130m²



Total Items


- | | | | |
|--|--------------------------|---|--------------------------------|
|  | Cattle Gate x 7 |  | Cattle Loading Ramp x 1 |
|  | Cattle Panel x 26 |  | Cattle Crush x 1 |
|  | Sliding Gate x 2 |  | Single Man Gate x 4 |
|  | Race Bow x 1 | | |



WATLEY RURAL

1300 865 125

70 Head Cattle Yard System 140m²



Total Items

 Cattle Gate x 5


 Cattle Panel x 25

 Sliding Gate x 1

 Race Bow x 2

 Cattle Loading Ramp x 1

 Cattle Crush x 1



WATLEY RURAL


1300 865 125

120 Head Cattle Yard System 240m²



Total Items


- | | | | |
|--|--------------------------|---|--------------------------------|
|  | Cattle Gate x 17 |  | Cattle Loading Ramp x 1 |
|  | Cattle Panel x 36 |  | Cattle Crush x 1 |
|  | Sliding Gate x 2 |  | Single Man Gate x 3 |
|  | Race Bow x 1 | | |



WATLEY RURAL


1300 865 125

125 Head Cattle Yard System 250m²



Total Items


- | | | | |
|--|--------------------------|---|--------------------------------|
|  | Cattle Gate x 4 |  | Cattle Loading Ramp x 1 |
|  | Cattle Panel x 34 |  | Cattle Crush x 1 |
|  | Sliding Gate x 3 |  | Single Man Gate x 1 |
|  | Race Bow x 2 | | |



WATLEY RURAL

1300 865 125

150 Head Cattle Yard System 300m²



Total Items

 Cattle Gate x 7

 Cattle Panel x 45


 Sliding Gate x 3

 Race Bow x 2

 Cattle Loading Ramp x 1

 Cattle Crush x 1


 Single Man Gate x 1



WATLEY RURAL


1300 865 125

250 Head Cattle Yard System 500m²



Total Items

- | | | | |
|--|--------------------------|---|--------------------------------|
|  | Cattle Gate x 12 |  | Cattle Loading Ramp x 1 |
|  | Cattle Panel x 62 |  | Cattle Crush x 1 |
|  | Sliding Gate x 2 |  | Single Man Gate x 1 |
|  | Race Bow x 2 | | |



WATLEY RURAL

1300 865 125


Adjustable Sheep Vee Race with 3 way draft gate

Length	Height	Width(open)	Width(close)
4500mm	1200mm	550mm	200mm



FEATURES

- Fully sheeted adjustable sides can be changed from Straight to V shaped as needed to control sheep flow.
- The adjustable V shaped sheeted sides restricts sideways movement, slows the animals down, keeps them facing in one direction and in a single file
- Handy for drenching, push/pull sliding gate or swing gates available.
- 50mm x 50mm x 2mm fully welded framework stops flexing and movement.
- Retractable spring loaded latches on side gates stops gates swinging outwards while drafting
- Large handles on the gates, works with sheep and goats
- Total Vee race and 3-way draft length is 4500mm
- Internal width is 550mm when open down to 200mm when closed.
- Height 1200mm
- Sheeted Vee race length is 3 meters
- 3 way drafting head unit, 3 Way draft gates are 1500mm long



WATLEY RURAL

1300 865 125

Adjustable Sheep Vee Race


- The adjustable V shaped sheeted sides restricts sideways movement, slows the animals down, keeps them facing in one direction and in a single file
- Handy for drenching
- Push/pull sliding gate allows you to lock animals in the race or easily introduce more into the race without having to push a conventional hinged gate back into awaiting stock
- 50mmx50mmx2mm fully welded framework stops flexing and movement in the race
- Large handles on the gates
- Works with sheep and goats



3 Way Drafting Gate

- 3 Way Draft unit suitable to join a existing vee race
- 50mmx50mmx2mm frame with Braces to stop flexing
- Retractable latches on side gates stops gates swing outwards while drafting
- Large handles on the gates
- Works with sheep and goats






WATLEY RURAL

1300 865 125

Sheep Panel

- Galvanised Steel
- 6 Rail
- 2400 Long x 1200 High
- Round pipe (25x25)
- Light Weight
- Ideal for portable yards


	Horizontal	Uprights	Rail	Height	Width
Panel	25x25	32x32	6	1200	2400




Sheep Gate

- Galvanised Steel
- 6 Rail
- 2400 Long x 1200 High
- Round pipe (25x25)
- Square pipe bracket provided
- Chain lock system provided

	Horizontal	Uprights	Rail	Height	Width
Gate	25x25	40x40	6	1200	2400






WATLEY RURAL

1300 865 125

40 Head Sheep Yard System 40m²




Total Items

 Sheep Gate x 3

 V-Race With Draft Box x 1

 Sheep Panel x 8




WATLEY RURAL

1300 865 125

Round Bale Hay Saver with Tray

- Flat Packed
- Manufactured from hot dipped galvanised pipe
- Holds large rectangle bales
- Keep bales raised off the ground

	Length	Height	Width	Weight
Hay Saver	2200mm	1578mm	1500mm	165kg




Mesh Hay Saver with Tray

- Flat Packed
- Manufactured from hot dipped galvanised pipe
- Holds large rectangle bales
- Keep bales raised off the ground
- Height adjustable

	Length	Height	Width	Weight
Hay Saver	2200mm	1583-1671mm	1500mm	165kg





WATLEY RURAL

1300 865 125

Adjustable Hay Saver with Tray

- Manufactured from hot dipped galvanised pipe
- Holds rectangle bales
- Keep bales raised off the ground
- Height adjustable


	Length	Height	Width	Weight
Hay Saver	1130mm	1240-1630mm	1125mm	75kg




3 Piece Hay Saver

- Manufactured from hot dipped galvanised pipe
- 3 Piece construction makes it easy to relocate
- Connect it with long pins
- Holds 4 - 6 ft round bales

	Length	Height	Width	Weight
Hay Saver	1998mm	960mm	1998mm	83kg






WATLEY RURAL

1300 865 125

Dog Box x 670mm without roof

- Hot dipped galvanised
- Sturdy construction and design
- Keep bales raised off the ground
- Providing great protection for your pets


	Length	Height	Width	Weight
Dog Box	1720mm	670mm	650mm	50kg




Dog Box x 860mm without roof

- Hot dipped galvanised
- Sturdy construction and design
- Keep bales raised off the ground
- Providing great protection for your pets

	Length	Height	Width	Weight
Dog Box	1720mm	860mm	650mm	65kg






WATLEY RURAL


1300 865 125

Dog Box x 795mm with roof

- Hot dipped galvanised
- Sturdy construction and design
- Keep bales raised off the ground
- Providing great protection for your pets




	Length	Height	Width	Weight
Dog Box	1720mm	795mm	650mm	55kg





Dog Box x 985mm with roof

- Hot dipped galvanised
- Sturdy construction and design
- Keep bales raised off the ground
- Providing great protection for your pets



	Length	Height	Width	Weight
Dog Box	1720mm	985mm	650mm	70kg






WATLEY RURAL

1300 865 125

Temporary Fencing and Accessory

- Special Events;
- Commercial Construction;
- Domestic Housing Sites;
- Crowd control;
- Exhibitions;
- Sporting events;
- Concerts / Parades;
- Local Council Work Sites;
- Environmental Protection Areas;
- Safety / Hazard Compounds;
- Equipment Isolation;


	Length	Height	Frame	Weight
Temp Fence	2400mm	2100mm	32mm	22kg




A Blow Moulded Feet



B Recycled Rubber Feet



C Mesh Panels



D Hand Rail



E Brace

WATLEY RURAL

Contact & Sales

Ph: 1300 865 125

Mail: sales@watleyrural.com.au

Web: www.watleyrural.com.au

